India's First Customised

Water Cooler
Water Purifier
Water Dispenser

CONWAY®
PURITY | QUALITY | SAFETY

We don't just create products; we craft them with a keen eye on our customers' needs and aspirations.

No. 305933 DESIGN REGISTERED DATE: 23-05-2018

IS1475:2024

CM/L-650009952

At Conway, quality is built into every product we manufacture, and our new commercial water dispenser with high storage capacity reflects advanced engineering expertise. Crafted with a premium SS304 stainless steel body and a modern, elegant finish (Design Registered), it ensures durability, safety, and enhanced aesthetics for commercial and institutional spaces. Integrated UV+Ozone or Commercial RO & UV purification options deliver safe and purified drinking water based on site water conditions. Available with normal, hot and cold-water dispensing options, the unit is trusted by industries and institutions for reliable performance and uncompromised purity. All configurations are customizable according to site conditions,water quality, and available resources, making it ideal for industrial and institutional applications.

Schools, Colleges, Offices, Hospitals, Industries and Public Places like Mall, Bus stand, Railway station and Airports.

Conway Water Purifier Private Limited

No. 4/124 B, Agarwal School Road, 2nd Street (Right), KNG Pudur Pirivu, Kanuvai (PO), Coimbatore - 641108.
Cell: +91 98947 47475 | Email: sales@conwaywater.com

www.conwaywater.com

MEMBER INDIA WATER QUALITY ASSOCIATION

Authorised Dealer

Conway Water Dispensers - Technical Specifications

MODEL	CONWAY	CONWAY	CONWAY	CONWAY	CONWAY	CONWAY
	D 1414 NC	D14314 NHC	D 2020 NC	D 20420 NHC	D 3040 NC	D 30540 NHC
Dimensions	L 365 x W 355 x H 1325 MM		L 455 x W 450 x H 1370 MM		L 550 x W 525 x H 1450 MM	
Storage Tank - Normal Water	14	14	20	20	30	30
Storage Tank - Cold Water	14	14	20	20	40	40
Storage Tank - Hot Water	-	3	-	4	-	5
Heater Power in Watts	-	1000	-	1000	-	1000
Nett Weight in kg (Approx)	49	52	55	60	67	70
Power Supply (AC 50 Hz)	180 to 260 Volts					
MOC - Housing SS 304	Stainless Steel - 0.8 mm Sheet					
MOC - Normal Water Tank	LLDPE					
MOC - Cold Water Tank	Stainless Steel - 0.8 mm Sheet					
MOC - Hot Water Tank	Stainless Steel - 0.8 mm Sheet					
MOC - Legs SS 202	Stainless Steel - 2.0 mm Sheet					
MOC - Faucets	Brass - Chromium Plated					
Insulation of Cooling Tank	PUF					

Specification, illustrations and descriptions are subject to change without notice due to continual innovation.

OUR PRESTIGIOUS CLIENTS

India's First Customised

Water Cooler
Water Purifier
Water Dispenser

CONWAY®
PURITY | QUALITY | SAFETY

We don't just create products; we craft them with a keen eye on our customers' needs and aspirations

No. 305933
DESIGN REGISTERED
DATE: 23-05-2018

At Conway, quality is built into every product we manufacture, and our new commercial water dispenser with high storage capacity reflects advanced engineering expertise. Crafted with a premium SS304 stainless steel body and a modern, elegant finish (Design Registered), it ensures durability, safety, and enhanced aesthetics for commercial and institutional spaces. Integrated UV+Ozone or Commercial RO & UV purification options deliver safe and purified drinking water based on site water conditions. Available with normal, hot and cold-water dispensing options, the unit is trusted by industries and institutions for reliable performance and uncompromised purity. All configurations are customizable according to site conditions,water quality, and available resources, making it ideal for industrial and institutional applications.

Schools, Colleges, Offices, Hospitals, Industries and Public Places like Mall, Bus stand, Railway station and Airports.

Conway Water Purifier Private Limited

No. 4/124 B, Agarwal School Road, 2nd Street (Right), KNG Pudur Pirivu, Kanuvai (PO), Coimbatore - 641108.
Cell: +91 98947 47475 | Email: sales@conwaywater.com

www.conwaywater.com

Zed GOLD

MEMBER INDIA WATER QUALITY ASSOCIATION™

Authorised Dealer

Conway Water Dispensers - Technical Specifications

MODEL	CONWAY D 30 NN	CONWAY D 303 NH	CONWAY D 50 NN	CONWAY D 504 NH	CONWAY D 80 NN	CONWAY D 805 NH
Dimensions	L 365 x W 355 x H 1325 MM		L 455 x W 450 x H 1370 MM		L 550 x W 525 x H 1450 MM	
Storage Tank - Normal Water	30	30	50	50	80	80
Storage Tank - Hot Water	-	3	-	4	-	5
Heater Power in Watts	-	1000	-	1000	-	1000
Nett Weight in kg (Approx)	34	37	39	42	48	50
Power Supply (AC 50 Hz)	180 to 260 Volts					
MOC - Housing SS 304	Stainless Steel - 0.8 mm Sheet					
MOC - Normal Water Tank	LLDPE					
MOC - Cold Water Tank	Stainless Steel - 0.8 mm Sheet					
MOC - Hot Water Tank	Stainless Steel - 0.8 mm Sheet					
MOC - Legs SS 202	Stainless Steel - 2.0 mm Sheet					

Specification, illustrations and descriptions are subject to change without notice due to continual innovation.

OUR PRESTIGIOUS CLIENTS